

# PRODUCT SUMMARY




Cobalt Chrome Tulip



Multiple Options



Triple Lead Thread



PRECISION SPINE  
**REFORM**<sup>®</sup>  
PEDICLE SCREW SYSTEM

# Screws

## Low Profile

- 12.72mm Footprint x 12.5mm Height

## Square Threaded Locking Cap

- Geometry reduces risk of cross threading

## Hexalobular Drive Fittings

- Bone Screw and Locking Cap Reduces incidence of toggle and stripping on

## Cobalt Chrome Tulip

- Reduces the Risk of "Head Splay"- (Spreading Out) with DVR (Direct Vertebral Rotation) Maneuvers

## Polyaxial Screws

- Provide 30° angulation in all planes for intraoperative flexibility

## Proximal Tapered Thread

- Design increases bone/screw interface enhancing pull-out strength

## Triple Lead Thread

- Allows for efficient screw delivery

## Reform® Polyaxial Screws:

### 4.5mm Diameter (Magenta)

#### Lengths

25mm  
30mm  
35mm  
40mm  
45mm



### 5.5mm Diameter (Gold)

#### Lengths

**25mm\***  
30mm  
35mm  
40mm  
45mm  
50mm  
**55mm\***  
**60mm\***



### 6.5mm Diameter (Green)

#### Lengths

**25mm\***  
30mm  
35mm  
40mm  
45mm  
50mm  
55mm  
**60mm\***



### 7.5mm Diameter (Blue)

#### Lengths

**30mm\***  
35mm  
40mm  
45mm  
50mm  
55mm  
**60mm\***  
**70mm\***  
**80mm\***



### 8.5mm Diameter (Brown)

#### Lengths

**35mm\***  
40mm  
45mm  
50mm  
55mm  
60mm  
70mm  
80mm  
**90mm\***  
**100mm\***  
**110mm\***  
**120mm\***



### 9.5mm Diameter (Silver)

#### Lengths

**40mm\***  
**45mm\***  
**50mm\***  
**55mm\***  
60mm  
70mm  
80mm  
**90mm\***  
**100mm\***  
**110mm\***  
**120mm\***



### 10.5mm Diameter (Purple)

#### Lengths

**40mm\***  
**45mm\***  
**50mm\***  
**55mm\***  
**60mm\***  
**70mm\***  
**80mm\***  
**90mm\***  
**100mm\***  
**110mm\***  
**120mm\***



\*Upon Request

## Reform® Uniplanar Screws:

### 4.5mm Diameter (Magenta)

#### Lengths

25mm  
30mm  
35mm  
40mm  
45mm



### 5.5mm Diameter (Gold)

#### Lengths

25mm  
30mm  
35mm  
40mm  
45mm  
50mm  
**55mm\***  
**60mm \***



### 6.5mm Diameter (Green)

#### Lengths

**25mm\***  
30mm  
35mm  
40mm  
45mm  
50mm  
**55mm\***  
**60mm\***



### 7.5mm Diameter (Blue)

#### Lengths

**30mm\***  
35mm  
40mm  
45mm  
50mm  
**55mm\***  
**60mm\***



## Reform® Reduction Screws:

### 4.5mm Diameter (Magenta)

#### Lengths

**25mm\***  
**30mm\***  
**35mm\***  
**40mm\***  
**45mm\***



### 5.5mm Diameter (Gold)

#### Lengths

**25mm\***  
30mm  
35mm  
40mm  
45mm  
50mm  
**55mm\***  
**60mm\***



### 6.5mm Diameter (Green)

#### Lengths

**25mm\***  
30mm  
35mm  
40mm  
45mm  
50mm  
**55mm\***  
**60mm\***



### 7.5mm Diameter (Blue)

#### Lengths

**30mm\***  
35mm  
40mm  
45mm  
50mm  
55mm  
**60mm\***  
**70mm\***  
**80mm\***



### 8.5mm Diameter (Brown)

#### Lengths

**35mm\***  
40mm  
45mm  
50mm  
55mm  
**60mm\***  
**70mm\***  
**80mm\***  
**90mm\***  
**100mm\***  
**110mm\***  
**120mm\***



### 9.5mm Diameter (Silver)

#### Lengths

**40mm\***  
**45mm\***  
**50mm\***  
**55mm\***  
**60mm\***  
**70mm\***  
**80mm\***  
**90mm\***  
**100mm\***  
**110mm\***  
**120mm \***



### 10.5mm Diameter (Purple)

#### Lengths

**40mm\***  
**45mm\***  
**50mm\***  
**55mm\***  
**60mm\***  
**70mm\***  
**80mm\***  
**90mm\***  
**100mm\***  
**110mm\***  
**120mm \***



\*Upon Request

## Reform® Reduction Uniplanar Screws:

### 4.5mm Diameter (Magenta)

Lengths

**25mm\***  
**30mm\***  
**35mm\***  
**40mm\***  
**45mm\***



### 5.5mm Diameter (Gold)

Lengths

25mm  
30mm  
35mm  
40mm  
45mm  
50mm  
**60mm\***



### 6.5mm Diameter (Green)

Lengths

**25mm\***  
30mm  
35mm  
40mm  
45mm  
**50mm\***  
**55mm\***  
**60mm\***



### 7.5mm Diameter (Blue)

Lengths

**30mm\***  
**35mm\***  
**40mm\***  
**45mm\***  
**50mm\***  
**55mm\***  
**60mm\***



## Reform® Modular Polyaxial Screws:

### 4.5mm Diameter (Magenta)

Lengths

25mm  
30mm  
35mm  
40mm  
45mm



### 5.5mm Diameter (Gold)

Lengths

**25mm\***  
30mm  
35mm  
40mm  
45mm  
50mm  
**55mm\***  
**60mm\***



### 6.5mm Diameter (Green)

Lengths

**25mm\***  
30mm  
35mm  
40mm  
45mm  
50mm  
55mm  
**60mm\***



### 7.5mm Diameter (Blue)

Lengths

**30mm\***  
35mm  
40mm  
45mm  
50mm  
55mm  
**60mm\***  
**70mm\***  
**80mm\***



### 8.5mm Diameter (Brown)

Lengths


**35mm\***  
40mm  
45mm  
50mm  
55mm  
60mm  
70mm  
80mm  
**90mm\***  
**100mm\***  
**110mm\***  
**120mm\***



### 9.5mm Diameter (Silver)


Lengths

**40mm\***  
**45mm\***  
**50mm\***  
**55mm\***  
60mm  
70mm  
80mm  
**90mm\***  
**100mm\***  
**110mm\***  
**120mm\***



\*Upon Request

# Reform Tulip Dimensions




## Locking Cap

### Titanium Square Threaded Locking Cap

- Geometry Reduces the Risk of Cross Threading
- Reduces Risk of Head-Splay with DVR Maneuvers

### Hexalobular T25

- Reduces the Incidence of Toggle and Stripping



## Rods

### Straight Rods:

- 80mm, 100mm, 120mm, 150mm

### Hex-End Rods:

- 200mm, 300mm, 400mm, 500mm

### Titanium and Cobalt Chrome

Lengths	
80mm	<b>5.5mm Diameter</b>
100mm	
120mm	
150mm	
200mm	
300mm	
400mm	
500mm	

### Lordotic “Curved” Rods:

### Titanium and Cobalt Chrome

Lengths		<b>5.5mm Diameter</b>
35mm	70mm	
40mm	75mm	
45mm	80mm	
50mm	90mm	
55mm	100mm	
60mm	110mm	
65mm	120mm	

# Lateral Offsets/Hooks/Dominoes

## Lateral Offsets:

- Closed & Top Loading Options
- T25 Hexalobe

Lengths

20mm  
30mm  
40mm  
50mm

### Closed 5.5mm Diameter



## Dominoes:

- Axial and Parallel
- Titanium
- T20 Hexalobe

Axial domino

H - 11.6mm  
W - 9.8mm  
L - 35.5mm

### Axial



Lengths

20mm  
30mm  
40mm  
50mm


### Top Loading 5.5mm Diameter



Parallel domino

H - 12mm  
W - 8mm  
L - narrow 18.5mm  
wide 21mm

### Parallel\*



## Hooks:



Pedicle  
Small/Medium/Large



Straight Laminar  
Small/Medium/Large



Ramped Laminar  
Medium/Large



Down Angled Laminar  
Medium/Large



Offset Angled Laminar  
Left/Right



Transverse Process Hooks  
Left/Right

## Reduction Hooks:



Straight Laminar  
Medium



Ext.-Body Laminar  
Medium



Ramped Laminar  
Medium



Down Angled Laminar  
Medium



Offset Angled Laminar  
Left/Right



Angled Hook  
Left/Right

\*wide narrow options available



# Pedicle Screw Tap

## Undersized Proximally

4.5mm Diameter



4.5mm Tap

5.5mm Diameter



5.5mm Tap

6.5mm Diameter



6.5mm Tap

7.5mm Diameter



7.5mm Tap

8.5mm Diameter



8.5mm Tap

9.5mm Diameter




9.5mm Tap


\*10.5mm available upon request

The Reform® Pedicle Screw incorporates a proximal taper in its thread design. The difference in the diameters between the screw and tap changes as you move proximally up the thread. When comparing the 5.5mm Tap with a 5.5mm x 45mm Screw the difference in the major diameters between the Tap & Screw is .5mm (.25mm each side) and the difference between the two minor diameters is .25mm (.125mm each side) at the distal portion. At the proximal portion of the Screw thread, the difference between the major diameter of the Screw and the minor diameter of the Tap is 2mm (1mm each side). When comparing a 4.5mm Tap with a 5.5mm x 45 Screw the difference is doubled. The major/minor difference is 1mm combined and the minor/minor difference is .5mm at the distal tip. At the proximal portion, the major/minor difference is 4mm.

CAUTION: When using the combination of a 4.5mm Tap with a 5.5mm Screw the increased torque compared to a 5.5mm Tap and Screw combination **reduces** the overall integrity of the Inserter Screw Tip.




5.5mm Tap (Grey)  
5.5mm x 45mm Screw (Yellow)



4.5mm Tap (Grey)  
5.5mm x 45mm Screw (Yellow)

## Pedicle Screwdriver


---



## Modular Screwdriver

---

- Place screwdriver in neutral or reverse position and clockwise turn
- Knurled knob to tighten clockwise the collet





## Crosslinks

### Adjustable Offset Cam Locking Mechanism 90° Locking Motion Rod-to-Rod Connection


Lengths    Adjustable\*

35mm	35-40mm
40mm	40-48mm
48mm	48-66mm
66mm	66-85mm

3 Degrees of Freedom Linkage  
Provides  $\pm 25^\circ$  of Angulation

- T20 Hexalobe

\*30-32mm available in deformity add-on set




## Bone Awl/Bone Punch

3.6mm Diameter  
15mm Length



## Ball Tip Probe (aka "Sunder")

2mm Diameter at Ball Tip  
1mm Diameter above Ball Tip



## Reduction Instrumentation

---

### Reduction Tower

- Quick-Connect feature allows for slip-on insertion over the Tulip
- 25mm of reduction capability




## Ratcheting Reduction Gun

- Simple Finger-Squeeze Mechanism provides easy tower release, flexing retention arms open
- 25mm of reduction capability




**Angled Lateral Tulip Clamp**



**Pianar**



## Reform® Degenerative Implants - Top Tray (Tray Number 39-BK-01XX)



#	Part No.	Description	Qty	#	Part No.	Description	Qty
1	39-LT-5035	Lordotic Ti Rod, 5.50 x 35mm	3	13	39-LT-5110	Lordotic Ti Rod, 5.50 x 110mm	3
2	39-LT-5040	Lordotic Ti Rod, 5.50 x 40mm	3	14	39-LT-5120	Lordotic Ti Rod, 5.50 x 120mm	3
3	39-LT-5045	Lordotic Ti Rod, 5.50 x 45mm	3	15	39-LS-0100	Cap Screw / Lock-Screw	24
4	39-LT-5050	Lordotic Ti Rod, 5.50 x 50mm	3	16	39-CC-0035	Cross Connector 35mm	2
5	39-LT-5055	Lordotic Ti Rod, 5.50 x 55mm	3	17	39-CC-0040	Cross Connector 40mm	2
6	39-LT-5060	Lordotic Ti Rod, 5.50 x 60mm	3	18	39-CC-0048	Cross Connector 48mm	2
7	39-LT-5065	Lordotic Ti Rod, 5.50 x 65mm	3	19	39-CC-0066	Cross Connector 66mm	2
8	39-LT-5070	Lordotic Ti Rod, 5.50 x 70mm	3	20	39-ST-5080	Straight Ti Rod, 5.50 x 80mm	3
9	39-LT-5075	Lordotic Ti Rod, 5.50 x 75mm	3	21	39-ST-5100	Straight Ti Rod, 5.50 x 100mm	3
10	39-LT-5080	Lordotic Ti Rod, 5.50 x 80mm	3	22	39-ST-5120	Straight Ti Rod, 5.50 x 120mm	3
11	39-LT-5090	Lordotic Ti Rod, 5.50 x 90mm	3	23	39-ST-5200	Straight Ti Rod, 5.50 x 200mm	3
12	39-LT-5100	Lordotic Ti Rod, 5.50 x 100mm	3	24	39-ST-5400	Straight Ti Rod, 5.50 x 400mm	3

## Reform Cobalt Chrome Lordotic Rod Caddy (39-SC-0109)


Part No.	Description	Qty	Part No.	Description	Qty
<b>39-LC-5035*</b>	<b>Lordotic CoCrMo Rod, 5.50 x 35mm</b>	<b>3</b>	<b>39-LC-5070*</b>	<b>Lordotic CoCrMo Rod, 5.50 x 70mm</b>	<b>3</b>
<b>39-LC-5040*</b>	<b>Lordotic CoCrMo Rod, 5.50 x 40mm</b>	<b>3</b>	<b>39-LC-5075*</b>	<b>Lordotic CoCrMo Rod, 5.50 x 75mm</b>	<b>3</b>
<b>39-LC-5045*</b>	<b>Lordotic CoCrMo Rod, 5.50 x 45mm</b>	<b>3</b>	<b>39-LC-5080*</b>	<b>Lordotic CoCrMo Rod, 5.50 x 80mm</b>	<b>3</b>
<b>39-LC-5050*</b>	<b>Lordotic CoCrMo Rod, 5.50 x 50mm</b>	<b>3</b>	<b>39-LC-5090*</b>	<b>Lordotic CoCrMo Rod, 5.50 x 90mm</b>	<b>3</b>
<b>39-LC-5055*</b>	<b>Lordotic CoCrMo Rod, 5.50 x 55mm</b>	<b>3</b>	<b>39-LC-5100*</b>	<b>Lordotic CoCrMo Rod, 5.50 x 100mm</b>	<b>3</b>
<b>39-LC-5060*</b>	<b>Lordotic CoCrMo Rod, 5.50 x 60mm</b>	<b>3</b>	<b>39-LC-5110*</b>	<b>Lordotic CoCrMo Rod, 5.50 x 110mm</b>	<b>3</b>
<b>39-LC-5065*</b>	<b>Lordotic CoCrMo Rod, 5.50 x 65mm</b>	<b>3</b>			

## Reform Cobalt Chrome Straight Rod Caddy (39-SC-0108)

Part No.	Description	Qty	Part No.	Description	Qty
<b>39-SC-5080*</b>	<b>Straight CoCrMo Rod, 5.50 x 80mm</b>	<b>3</b>	<b>39-SC-5200*</b>	<b>Straight CoCrMo Rod, 5.50 x 200mm</b>	<b>3</b>
<b>39-SC-5100*</b>	<b>Straight CoCrMo Rod, 5.50 x 100mm</b>	<b>3</b>	<b>39-SC-5400*</b>	<b>Straight CoCrMo Rod, 5.50 x 400mm</b>	<b>3</b>
<b>39-SC-5120*</b>	<b>Straight CoCrMo Rod, 5.50 x 120mm</b>	<b>3</b>			

\*Upon Request

# Reform® Degenerative Implants - Bottom Tray (Tray Number 39-BK-01XX)



#	Part No.	Description	Qty	#	Part No.	Description	Qty
1	39-PA-6530	6.5 x 30mm Polyaxial Pedicle Screw	6	26*	39-PA-9580	9.5 x 80mm Polyaxial Pedicle Screw	2
2	39-PA-6535	6.5 x 35mm Polyaxial Pedicle Screw	6	27*	39-PA-5525	5.5 x 25mm Polyaxial Pedicle Screw	6
3	39-PA-6540	6.5 x 40mm Polyaxial Pedicle Screw	10	28	39-PA-5530	5.5 x 30mm Polyaxial Pedicle Screw	6
4	39-PA-6545	6.5 x 45mm Polyaxial Pedicle Screw	10	29	39-PA-5535	5.5 x 35mm Polyaxial Pedicle Screw	6
5	39-PA-6550	6.5 x 50mm Polyaxial Pedicle Screw	8	30	39-PA-5540	5.5 x 40mm Polyaxial Pedicle Screw	8
6	39-PA-6555	6.5 x 55mm Polyaxial Pedicle Screw	8	31	39-PA-5545	5.5 x 45mm Polyaxial Pedicle Screw	8
7	39-PA-7535	7.5 x 35mm Polyaxial Pedicle Screw	6	32	39-PA-5550	5.5 x 50mm Polyaxial Pedicle Screw	6
8	39-PA-7540	7.5 x 40mm Polyaxial Pedicle Screw	8	33*	39-RP-5530	Reduction Screw 5.5mm x 30mm	2
9	39-PA-7545	7.5 x 45mm Polyaxial Pedicle Screw	8	34*	39-RP-5535	Reduction Screw 5.5mm x 35mm	4
10	39-PA-7550	7.5 x 50mm Polyaxial Pedicle Screw	6	35*	39-RP-5540	Reduction Screw 5.5mm x 40mm	4
11	39-PA-7555	7.5 x 55mm Polyaxial Pedicle Screw	6	36*	39-RP-5545	Reduction Screw 5.5mm x 45mm	4
12*	39-PA-4525	4.5 x 25mm Polyaxial Pedicle Screw	2	37*	39-RP-5550	Reduction Screw 5.5mm x 50mm	2
13*	39-PA-4530	4.5 x 30mm Polyaxial Pedicle Screw	2	38*	39-RP-6530	Reduction Screw 6.5mm x 30mm	2
14*	39-PA-4535	4.5 x 35mm Polyaxial Pedicle Screw	2	39*	39-RP-6535	Reduction Screw 6.5mm x 35mm	4
15*	39-PA-4540	4.5 x 40mm Polyaxial Pedicle Screw	4	40*	39-RP-6540	Reduction Screw 6.5mm x 40mm	4
16*	39-PA-4545	4.5 x 45mm Polyaxial Pedicle Screw	4	41*	39-RP-6545	Reduction Screw 6.5mm x 45mm	4
17*	39-PA-8540	8.5 x 40mm Polyaxial Pedicle Screw	4	42*	39-RP-6550	Reduction Screw 6.5mm x 50mm	2
18*	39-PA-8545	8.5 x 45mm Polyaxial Pedicle Screw	4	43*	39-RP-7535	Reduction Screw 7.5mm x 35mm	2
19*	39-PA-8550	8.5 x 50mm Polyaxial Pedicle Screw	2	44*	39-RP-7540	Reduction Screw 7.5mm x 40mm	2
20*	39-PA-8555	8.5 x 55mm Polyaxial Pedicle Screw	2	45*	39-RP-7545	Reduction Screw 7.5mm x 45mm	2
21*	39-PA-8560	8.5 x 60mm Polyaxial Pedicle Screw	2	46*	39-RP-7550	Reduction Screw 7.5mm x 50mm	2
22*	39-PA-8570	8.5 x 70mm Polyaxial Pedicle Screw	2	47*	39-RP-7555	Reduction Screw 7.5mm x 55mm	2
23*	39-PA-8580	8.5 x 80mm Polyaxial Pedicle Screw	2	48*	39-RP-8540	Reduction Screw 8.5mm x 40mm	2
24*	39-PA-9560	9.5 x 60mm Polyaxial Pedicle Screw	2	49*	39-RP-8545	Reduction Screw 8.5mm x 45mm	2
25*	39-PA-9570	9.5 x 70mm Polyaxial Pedicle Screw	2	50*	39-RP-8550	Reduction Screw 8.5mm x 50mm	2
				51*	39-RP-8555	Reduction Screw 8.5mm x 55mm	2

1) Standard Set included: 5.5, 6.5 & 7.5mm Screws


2) Outlier Caddy (Special Request Only) includes: 4.5, 8.5 & 9.5mm Screws

3) Titanium included in Standard Set – Cobalt Chrome (Special Request Only)

\*Upon Request




## Reform® Degenerative Instruments 1 of 2 - Top Tray (Tray Number 39-BK-0201)




#	Part No.	Description	Qty	#	Part No.	Description	Qty
1	39-CH-0004	Ratcheting In-Line "Straight" Handle, 1/4" SQ	2	7	39-SP-0595	Pedicle Screw Tap Assembly 9.5mm (Tap is Undersized)	1
2	39-SP-0545	Pedicle Screw Tap Assembly 4.5mm (Tap is Undersized)	1	8	39-SP-0011	Ball Tip Sounder Straight	2
3	39-SP-0555	Pedicle Screw Tap Assembly 5.5mm (Tap is Undersized)	1	9	39-SP-0007	Straight Pedicle Probe	1
4	39-SP-0565	Pedicle Screw Tap Assembly 6.5mm (Tap is Undersized)	1	10	39-SP-0005	Duckbill Pedicle Probe	1
5	39-SP-0575	Pedicle Screw Tap Assembly 7.5mm (Tap is Undersized)	1	11	39-SP-0003	Curved Pedicle Probe	1
6	39-SP-0585	Pedicle Screw Tap Assembly 8.5mm (Tap is Undersized)	1	12	39-SP-0001	Bone Awl	1
				13	39-CH-0003	Ratcheting T-Handle, 1/4" SQ	2

## Reform Degenerative Instruments 1 of 2 - Middle Tray (Tray Number 39-BK-0201)




#	Part No.	Description	Qty	#	Part No.	Description	Qty
1	39-RD-0010	Flexible Rod Template 200mm	1	7	39-SP-0800	Tulip Manipulator	1
2	39-RD-0011	Flexible Rod Template 400mm	1	8	39-SP-0601	Retention Bone-Screw Driver	2
3	39-RD-0061	Counter Torque Wrench	1	9	39-SP-0700	Polyaxial Driver	2
4	39-RD-0060	Lock-Screw Torque Driver	1	10	39-SP-0805	Rod Inserter Forceps 5.5mm	1
5	39-SP-0815	Rod Pusher 5.5mm	1	11	39-SP-0825	Lateral Tulip Holder	1
6	39-SP-0603	Dual-Side Lock-Screw Driver	2	12	39-RD-0070	Extended Tab Removal Tool (Only Included With the Reduction Screws)	1
				13	39-CH-0008	Offset Ratcheting Torque Handle	1

# Reform® Degenerative Instruments 1 of 2 - Bottom Tray (Tray Number 39-BK-0201)



#	Part No.	Description	Qty	#	Part No.	Description	Qty
1	39-CH-0009	X-Connector Torque Handle	1	4	39-RD-0041	Parallel Compressor	1
2	39-CC-0405	X-Connector Rotary Calipers	1	5	39-RD-0042	Parallel Distractor	1
3	39-CC-0401	X-Connector Retention Driver (Self-Retaining)	2	6	39-CC-0407	X-Connector Torque Driver	1

Reform® Degenerative Instruments 2 of 2 - Top Tray (Tray Number 39-BK-0202)



#	Part No.	Description	Qty
1	39-RD-0315	T-Handle Reducer	1
2	39-RD-0310	Tie Reduction Tower	2
3	39-RD-0100	Reduction Gun	1

#	Part No.	Description	Qty
4	39-SP-0602	Lock-Screw Retention Driver	2
5	39-RD-0320	Tie Tower Reducer (Capable of 25mm Reduction)	2

Reform Degenerative Instruments 2 of 2 - Bottom Tray (Tray Number 39-BK-0202)




#	Part No.	Description	Qty
1	39-RD-0001	French Rod Bender 5.5mm	1
2	39-RD-0020	In Situ Rod Bender Left	1
3	39-RD-0021	In Situ Rod Bender Right	1

#	Part No.	Description	Qty
4	39-SP-0810	Rod Gripper 5.5mm	1
5	39-RD-0201	Rod Rocker	1



Reform® Deformity Instruments (Add-On) 1 of 1 - Top Tray (Tray Number 39-BK-0203)



#	Part No.	Description	Qty	#	Part No.	Description	Qty
1	39-RD-0315	T-Handle Reducer	1	4	39-RD-0320	Tie Tower Reducer	6
2	39-RD-0348	Tower Bridge Hex Wrench	1	5	39-RD-0344	Tower Connectors	8
3	39-RD-0310	Tie Reduction Tower	6	6	39-RD-0345	Tower Thumbscrew	8

Reform Deformity Instruments (Add-On) 1 of 1 - Middle Tray (Tray Number 39-BK-0203)




#	Part No.	Description	Qty	#	Part No.	Description	Qty
1	39-RD-0012	500mm Flexible Rod Template	1	4	39-RD-0031	Coronal Rod Bender Right	1
2	39-RD-0032	Coronal Rod Bender Bridge	1	5	39-RD-0346	Tower Bridge, Single	2
3	39-RD-0030	Coronal Rod Bender Left	1	6	39-RD-0347	Tower Bridge, Double	2
				7	39-SP-0810	Rod Gripper - 5.5mm	1

Reform® Deformity Instruments (Add-On) 1 of 1 - Bottom Tray (Tray Number 39-BK-0203)



#	Part No.	Description	Qty	#	Part No.	Description	Qty
1	39-RD-0550	Superior Hook Holder	1	4	39-RD-0502	Laminar Elevator, Medium	1
2	39-RD-0570	Domino Insertion/Counter-Torque	1	5	39-RD-0503	Laminar Elevator, Small	1
3	39-RD-0050	Rod Derotation Hex Wrench	1	6	39-RD-0500	Pedicular Elevator	1
				7	39-RD-0560	Hook Pusher	1

## Reform® Deformity Implants - Top Tray (Tray Number 39-BK-03XX)




#	Part No.	Description	Qty	#	Part No.	Description	Qty
1	39-IS-0100	Cap Screw / Lock-Screw	30	14	39-ST-5500	Straight Ti Rod, 5.50 x 500mm	3
2	39-CC-0030	Cross Connector 30mm	2	15	39-LO-0120	Lateral Offset, Closed 20mm	2
3	39-CC-0032	Cross Connector 32mm	2	16	39-LO-0130	Lateral Offset, Closed 30mm	2
4	39-DA-0101	Parallel Domino, Closed-Closed, Wide	2	17	39-LO-0140	Lateral Offset, Closed 40mm	2
5	39-DA-0102	Parallel Domino, Closed-Closed, Narrow	2	18	39-LO-0150	Lateral Offset, Closed 50mm	2
6	39-DA-0201	Parallel Domino, Closed-Open, Wide	2	19	39-LO-0220	Lateral Offset, Top-Loading 20mm	2
7	39-DA-0202	Parallel Domino, Closed-Open, Narrow	2	20	39-LO-0230	Lateral Offset, Top-Loading 30mm	2
8	39-DA-0301	Parallel Domino, Open-Open, Wide	2	21	39-LO-0240	Lateral Offset, Top-Loading 40mm	2
9	39-DA-0302	Parallel Domino, Open-Open, Narrow	2	22	39-LO-0250	Lateral Offset, Top-Loading 50mm	2
10	39-AA-0101	Axial Domino, Closed-Closed	2	<b>23*</b>	<b>39-LO-0220</b>	<b>Lateral Offset, Top-Loading 20mm</b>	<b>2</b>
11	39-SC-5300	Straight CoCrM Rod, 5.50 x 300mm	3	<b>24*</b>	<b>39-LO-0230</b>	<b>Lateral Offset, Top-Loading 30mm</b>	<b>2</b>
12	39-SC-5500	Straight CoCrM Rod, 5.50 x 500mm	3	<b>25*</b>	<b>39-LO-0240</b>	<b>Lateral Offset, Top-Loading 40mm</b>	<b>2</b>
13	39-ST-5300	Straight Ti Rod, 5.50 x 300mm	3	<b>26*</b>	<b>39-LO-0250</b>	<b>Lateral Offset, Top-Loading 50mm</b>	<b>2</b>

\*Upon Request



# Reform® Deformity Implants - Top & Bottom Tray (Tray Number 39-BK-03XX)

#	Part No.	Description	Qty
1	39-UP-6530	Uniplanar Screw - 6.5mm x 30mm	6
2	39-UP-6535	Uniplanar Screw - 6.5mm x 35mm	8
3	39-UP-6540	Uniplanar Screw - 6.5mm x 40mm	8
4	39-UP-6545	Uniplanar Screw - 6.5mm x 45mm	8
5	39-UP-6550	Uniplanar Screw - 6.5mm x 50mm	8
6	39-UP-4525	Uniplanar Screw - 4.5mm x 25mm	4
7	39-UP-4530	Uniplanar Screw - 4.5mm x 30mm	6
8	39-UP-4535	Uniplanar Screw - 4.5mm x 35mm	6
9	39-UP-4540	Uniplanar Screw - 4.5mm x 40mm	6
10	39-UP-4545	Uniplanar Screw - 4.5mm x 45mm	6
11	39-UP-7535	Uniplanar Screw - 7.5mm x 35mm	4
12	39-UP-7540	Uniplanar Screw - 7.5mm x 40mm	6
13	39-UP-7545	Uniplanar Screw - 7.5mm x 45mm	6
14	39-UP-7550	Uniplanar Screw - 7.5mm x 50mm	6
15	39-TH-0242	Straight Laminar Reduction Hook, MD	2
16	39-TH-0252	Ext-Body Laminar (+4mm) Reduction Hook, MD	2
17	39-TH-0262	Ramped Laminar Reduction Hook, MD	2
18	39-TH-0272	Down-Angled Laminar Reduction Hook, MD	2
19	39-TH-0351	Offset Angled Reduction Hook, MD, Right	2
20	39-TH-0352	Offset Angled Reduction Hook, MD, Left	2
21	39-TH-0451	Angled Reduction Hook, MD, Right	2
22	39-TH-0452	Angled Reduction Hook, MD, Left	2
23	39-UP-5525	Uniplanar Screw - 5.5mm x 25mm	4
24	39-UP-5530	Uniplanar Screw - 5.5mm x 30mm	6
25	39-UP-5535	Uniplanar Screw - 5.5mm x 35mm	8
26	39-UP-5540	Uniplanar Screw - 5.5mm x 40mm	8
27	39-UP-5545	Uniplanar Screw - 5.5mm x 45mm	8
28	39-UP-5550	Uniplanar Screw - 5.5mm x 50mm	6
29	39-TH-0101	Pedicle Hook, SM	2
30	39-TH-0102	Pedicle Hook, MD	2
31	39-TH-0103	Pedicle Hook, LG	2
32	39-TH-0201	Straight Laminar Hook, SM, Narrow	2
33	39-TH-0202	Straight Laminar Hook, SM, Wide	2
34	39-TH-0203	Straight Laminar Hook, MD, Narrow	2
35	39-TH-0204	Straight Laminar Hook, MD, Wide	2
36	39-TH-0205	Straight Laminar Hook, LG, Narrow	2
37	39-TH-0206	Straight Laminar Hook, LG, Wide	2
38	39-TH-0212	Ext-Body (+4mm) Laminar Hook, MD	2
39	39-TH-0213	Ext-Body (+4mm) Laminar Hook, LG	2
40	39-TH-0221	Ramped Laminar Hook, SM	2
41	39-TH-0222	Ramped Laminar Hook, MD	2
42	39-TH-0232	Down-Angled Laminar Hook, MD	2
43	39-TH-0233	Down-Angled Laminar, LG	2
44	39-TH-0301	Offset Angled Hook, MD, Right	2



(Special Request Only)  
Reduction Uniplanar Screws are sent separately  
(Not in a Caddy)

#	Part No.	Description	Qty
45	39-TH-0302	Offset Angled Hook, MD, Left	2
46	39-TH-0401	Angled Hook, MD, Right	2
47	39-TH-0402	Angled Hook, MD, Left	2
48*	39-RP-5530	Reduction Polyaxial Screw 5.5mm x 30mm	2
49*	39-RP-5535	Reduction Polyaxial Screw 5.5mm x 35mm	4
50*	39-RP-5540	Reduction Polyaxial Screw 5.5mm x 40mm	4
51*	39-RP-5545	Reduction Polyaxial Screw 5.5mm x 45mm	4
52*	39-RP-5550	Reduction Polyaxial Screw 5.5mm x 50mm	2
53*	39-RP-6530	Reduction Polyaxial Screw 6.5mm x 30mm	2
54*	39-RP-6535	Reduction Polyaxial Screw 6.5mm x 35mm	4
55*	39-RP-6540	Reduction Polyaxial Screw 6.5mm x 40mm	4
56*	39-RP-6545	Reduction Polyaxial Screw 6.5mm x 45mm	4
57*	39-RP-6550	Reduction Polyaxial Screw 6.5mm x 50mm	2
58*	39-RP-7535	Reduction Polyaxial Screw 7.5mm x 35mm	2
59*	39-RP-7540	Reduction Polyaxial Screw 7.5mm x 40mm	2
60*	39-RP-7545	Reduction Polyaxial Screw 7.5mm x 45mm	2
61*	39-RP-7550	Reduction Polyaxial Screw 7.5mm x 50mm	2
62*	39-RP-7555	Reduction Polyaxial Screw 7.5mm x 55mm	2
63*	39-RP-8540	Reduction Polyaxial Screw 8.5mm x 40mm	2
64*	39-RP-8545	Reduction Polyaxial Screw 8.5mm x 45mm	2
65*	39-RP-8550	Reduction Polyaxial Screw 8.5mm x 50mm	2
66*	39-RP-8555	Reduction Polyaxial Screw 8.5mm x 55mm	2

\*Upon Request

# Reform® Implant Sets

Standard Set	25 mm	30 mm	35 mm	40 mm	45 mm	50 mm	55 mm	60 mm	70 mm	80 mm
4.5mm										
5.5mm		6	6	8	8	6				
6.5mm		6	6	10	10	8	8			
7.5mm			6	8	8	6	6			
8.5mm										
9.5mm										

Outlier Set	25 mm	30 mm	35 mm	40 mm	45 mm	50 mm	55 mm	60 mm	70 mm	80 mm
4.5mm	2	2	2	4	4					
5.5mm										
6.5mm										
7.5mm										
8.5mm				4	4	2	2	2	2	2
9.5mm								2	2	2

Reduction Set	25 mm	30 mm	35 mm	40 mm	45 mm	50 mm	55 mm	60 mm	70 mm	80 mm
4.5mm										
5.5mm		2	4	4	4	2				
6.5mm		2	4	4	4	2				
7.5mm			2	2	2	2	2			
8.5mm				2	2	2	2			
9.5mm										

Add On Set	25 mm	30 mm	35 mm	40 mm	45 mm	50 mm	55 mm	60 mm	70 mm	80 mm
4.5mm	4	6	6	6	6					
5.5mm	4	6	9	8	8	6				
6.5mm		6	8	8	8	8				
7.5mm			4	6	6	6				
8.5mm										
9.5mm										

Uniplanar Set	25 mm	30 mm	35 mm	40 mm	45 mm	50 mm	55 mm	60 mm	70 mm	80 mm
4.5mm	4	6	6	6	6					
5.5mm	4	6	8	8	8	6				
6.5mm		6	8	8	8	8				
7.5mm			4	6	6	6				
8.5mm										
9.5mm										

Modular Outlier Set	25 mm	30 mm	35 mm	40 mm	45 mm	50 mm	55 mm	60 mm	70 mm	80 mm
4.5mm	2	2	2	4	4					
8.5mm				4	4	2	2	2	2	2
9.5mm								2	2	2

Modular Set	30 mm	35 mm	40 mm	45 mm	50 mm	55 mm
5.5mm	6	6	8	8	6	
6.5mm	6	6	10	10	8	8
7.5mm		6	8	8	6	6

STD Tulip 25

Reduction Tulip 10

## Reform® Implants Kits

Part No.	Description	Part No.	Description
39-BK-0101	Implant Kit Std 5.5, 6.5 & 7.5mm Polyaxial Screws w/ Ti Rods	39-BK-0105	Implant Kit Std 5.5, 6.5 & 7.5mm Polyaxial Screws w/ CC Rods
39-BK-0102	Implant Kit Std 5.5, 6.5 & 7.5mm Polyaxial Screws, Outlier Screws (4.5, 8.5 & 9.5MM ) & Ti Rods	39-BK-0106	Implant Kit Std 5.5, 6.5 & 7.5mm Polyaxial Screws, Outlier Screws (4.5, 8.5 & 9.5MM )& CC Rods
39-BK-0103	Implant Kit Std 5.5, 6.5 & 7.5mm Polyaxial Screws, Reduction Screws & Ti Rods	39-BK-0107	Implant Kit Std 5.5, 6.5 & 7.5mm Polyaxial Screws, Reduction Screws & CC Rods
39-BK-0104	Implant Kit Std 5.5, 6.5 & 7.5mm Polyaxial Screws, Outlier Screws (4.5, 8.5 & 9.5MM ), Reduction Screws & Ti Rods	39-BK-0108	Implant Kit Std 5.5, 6.5 & 7.5mm Polyaxial Screws, Outlier Screws (4.5, 8.5 & 9.5MM ), Reduction Screws & CC Rods

## Reform Instrument Kits

Part No.	Description	Part No.	Description
39-BK-0201	Instrument Kit 1	39-BK-0202	Instrument Kit 2

## Reform Add-On Deformity Implant Kits

Part No.	Description	Part No.	Description
39-BK-0301	Add-On Implant Kit Std Polyaxial Screws	39-BK-0305	Uniplanar Screws
39-BK-0302	Add-On Implant Kit Std Polyaxial Screws & Hooks	39-BK-0306	Uniplanar Screws & Hooks
39-BK-0303	Add-On Implant Kit Std Polyaxial Screws & Reduction Screws	39-BK-0307	Uniplanar Screws & Reduction Screws
39-BK-0304	Add-On Implant Kit Std Polyaxial Screws, Reduction Screws & Hooks	39-BK-0308	Uniplanar Screws, Reduction Screws & Hooks

## Reform Add-On Instrument Kit

Part No.	Description
39-BK-0203	Deformity Add-On Instrument Kit

## Reform Modular Implant Kits

Part No.	Description	Part No.	Description
39-BK-0511	Implant Kit Std 5.5,6.5 & 7.5mm Bone Screws w/ Ti Rods	39-BK-0513	Implant Kit Std 5.5,6.5 & 7.5mm Bone Screws w/Co Cr Rods
39-BK-0512	Implant Kit Std 5.5,6.5 & 7.5mm Bone Screws Outlier Screws (4.5, 8.5 & 9.5MM) w/ Ti Rods	39-BK-0514	Implant Kit Std 5.5,6.5 & 7.5mm Bone Screws Outlier Screws (4.5, 8.5 & 9.5MM) w/Co Cr Rods

## Reform Modular Instrument Kit

Part No.	Description	Part No.	Description
39-BK-0501	Instrument Kit 1	39-BK-0502	Instrument Kit 2



Precision Spine, Inc.  
2050 Executive Drive, Pearl, MS 39208  
Customer Service: 1-888.241.4773  
Fax: 601.420.5501

[www.precisionspineinc.com](http://www.precisionspineinc.com)

Please refer to package insert (LBLIFU-011) for complete system description, indications and warnings.  
Caution: Federal (USA) law restricts these devices to sale by or on the order of a physician.  
Precision Spine™ and Reform® are trademarks of Precision Spine, Inc.  
Copyright © 2015 Precision Spine, Inc. all rights reserved. LBL-FB-049 Rev.A